

Led round cabinet emergency

CODE: MOON AID

Emergency ceiling lamps with LED technology.
With circuit and battery for automatic intervention in case of blackout, which can be installed on the ceiling or wall.
Round ceiling lamps with integrated plate with high luminous LEDs for a uniform diffusion of light on the entire surface.
White techno-polymer body with high mechanical resistance.
High diffusion satin diffuser in polycarbonate.
Equipped with rear bracket for wall mounting.
Complete with terminals for electrical connections.

IP44 CRI 80




Features

- Working: SA-SE
- Power supply: 230V ~ 50Hz
- Colour rendering: >80
- Luminous efficiency: 90 lm/W
- Power factor: >0.7
- Average life: 30,000 hours
- Operating temperature: -20°C + +40°C
- Insulation class: II
- Beam angle: 120°
- Protection degree: IP44, for outdoor use
- Non dimmable
- Ni - Cd buffer battery: 6V - 1.5 Ah rechargeable
- Average charging time: 24 hours
- Average intervention time: 1 sec
- Autonomy: 3 hours
- Flux in emergency: 185 lm
- Battery protection circuit
- Shockproof: IK10

Technical data

Article	Supply voltage	Dimensions	Total consumption	Color	Luminous flux	Angle of diffusion
MNE20.D	230V - 50Hz	Ø330x68 mm	22 W	day light 4.000°K	2.250 lm	120°
MNE20.WW	230V - 50Hz	Ø330x68 mm	22 W	warm white 3.000°K	2.250 lm	120°

Data sheets



Cabinets and recessed

