

Led lamp G9 base in polycarbonate

CODE: SERIE SG9

LED bulb in polycarbonate

Light diffusion at 360°

No. LED: 32 (SG.933) & 51 (SG951)

Suitable for replacing traditional halogen bulbs.

Working at mains voltage 230V.



IP20 CRI 80

Features

- Colour rendering: > 80
- Average life: > 25,000 hours
- Protection degree: IP 20, for indoor use

Technical data

	Article	Supply voltage	Dimensions	Base	Watt	Color	Luminous flux
	SG933.D	230 V	17x49 mm	G9	3,2W	day light 4.000°K	420 lm
	SG933.WW	230 V	17x49 mm	G9	3,2W	warm white 3.000°K	380 lm
	SG951.D	230 V	16x50 mm	G9	4W	day light 4.000°K	450 lm
	SG951.WW	230 V	16x50 mm	G9	4W	warm white 3.000°K	430 lm



Traditional lamps and signalling products





ENERG

LYVIALED

SG933.D



3
kWh/1000h



2019/2015



ENERG

LYVIALED

SG933.WW



3
kWh/1000h



2019/2015



ENERG

LYVIALED

SG951.D

A

B

C

D

E

F

G

F

4

kWh/1000h



2019/2015



ENERG

LYVIALED

SG951.WW

A

B

C

D

E

F

G

F

4

kWh/1000h



2019/2015